[uowig®

P.O. Box 310

Elkhart, Indiana 46515-0310

U.S.A.

www.ludwig-drums.com

Ludwig products are available for sale through authorized Ludwig dealers. This catalog is intended as a source of general information only. Possession of this catalog does not constitute a contract, agreement or an offer to sell our products. Ludwig reserves the right to change prices or product specifications without prior notice.

.

©2005 Conn-Selmer, Inc. A division of Steinway Musical Instruments, Inc. P.O. Box 310, Elkhart, IN 46515 www.conn-selmer.com



TIMPANI

A N D

C O N C E R T

DRUMS



The making of the first Ludwig Timpani

As timpanist of the Pittsburgh Symphony, William F. Ludwig, Sr. shared a love for the classical works that was only equaled by his passion to perform them on-stage. Whether playing before a sold out symphony hall – or one nearly empty – Ludwig performed every note as if it were his final heartbeat.

In 1909, Ludwig, being the purist he was, grew rather frustrated when the hand-tuned timpani of the day made it difficult to play Wagnerian parts to his liking. But it wasn't long before his frustration turned to inspiration. With a more practical, portable pedal-tuned timpani pictured in mind, the accomplished timpanist took on the role of part-time inventor.

AN INGENIOUS PROFILE COLLAR EXTENDS THE HEAD BEYOND THE EDGE OF THE KETTLE TO PROJECT GREATER RESONANCE, PITCH DEFINITION, AND EASILY CONTROLLED, ACCURATE TUNING. UNDISTURBED, UNDISTORTED TONE IS THE RESULT OF THE DOUBLE-RING SUSPENSION SYSTEM AND SEAMLESS, ONE-PIECE ANGLE STEEL COUNTER HOOPS.



THE PATENTED BALANCED ACTION[™] TUNING PEDAL MOVES SMOOTHLY THROUGH THE RANGE. NO LOCKS OR RATCHETS ARE NEEDED TO HOLD PITCH. THE PROFESSIONAL SERIES PEDAL-OPERATED TUNING GAUGE IS ACCURATE, RELIABLE AND FULLY ADJUSTABLE. WITH THE FOOT PEDAL SWIVEL LINKAGE AND GAUGE IN FRONT OF THE PLAYER, TUNING AND ADJUSTMENT OF LETTERS IS QUICK AND PRECISE.



 Model
 Description

 LKG20
 20" Gauge

 LKG23
 23" Gauge

 LKG29
 29" Gauge

 LKG29
 29" Gauge

 LKG23
 32" Gauge

STANDARD SERIES TUNING GAUGES ARE HOOP ACTIVATED FOR A RELIABLE OPTION FOR MOST TIMPANI. AVAILABLE ON ALL STANDARD, UNIVERSAL AND MACHINE MODELS.

 Model
 Description

 LKH20
 20" Gauge

 LKH26
 26" Gauge

 LKH26
 26" Gauge

 LKH28
 29" Gauge

 LKH29
 29" Gauge

 LKH23
 32" Gauge

 LKH23
 32" Gauge



Not surprisingly, Ludwig's earliest designs and models failed. Hydraulically operated hoses leaked. Cables stretched. But he was determined and never lost heart – perfecting the music was far too important to him. Then, in 1921, after years of disappointments, he struck perfection. The Balanced Action[™] model he developed back then remains to this day the standard in timpani design and sound quality held around the world. You need only to hear the difference in a Ludwig Timpani to judge for yourself. Ludwig's Timpani embody the heart and soul of everyone who plays or dedicates their lives to music. Because just as there's more to playing music than reading notes on a page, there's more to crafting timpani than shaping copper.



MOBILITY IS DESIRED. THIRD WHEEL TIMPANI ASSEMBLY FITS GRAND SYMPHONIC, PROFESSIONAL & STANDARD

P1423

AN ALL-DIRECTIONAL THIRD WHEEL MAY BE

ATTACHED UNDER THE FLOOR PEDAL IF GREATER

FITS UNIVERSAL ONLY Model P1424

Mode



PLANET EXACTONE TIMPANI TUNING GAUGES (EXTERNAL MOUNT SYSTEM).

FOR GRAND SYMPHONIC, PROFESSIONAL

1odel	Description
KP20	20" Gauge
.KP23	23" Gauge
.KP26	26" Gauge
.KP29	29" Gauge
.KP32	32" Gauge
KP33	One size fits all, Plastic see-thru gauge cover for protection

FOR STANDARD TIMPANI ONLY			
Model	Description		
LKP20	20" Gauge		
LKP23	23" Gauge		
LKP26S	26" Gauge		
LKP29S	29" Gauge		
LKP32	32" Gauge		

When symphonies are performed at their most glorious levels, it is not without the sweat of rehearsal, week in and week out. Likewise, the new Grand Symphonic timpani series reflects, in practice, the evolution of design.

To this day, Ludwig's patented Balanced Action[™] tuning pedal is widely imitated, yet never matched. The new rolled-lip copper kettle is specially designed to hang within the suspension ring like a bell, extending the range to a 7th of the most overtonefree pitches ever to sound from a timpani. In Ringer fashion, these kettles are hammered one at a time. Sturdy pull rods are built within the struts for safety and a clean appearance, while friction blocks sit astride the main horizontal pull rod, supporting the balanced action on both ends of the range.



Grand Symphonic Series

2



MODEL NO.	DESCRIPTION	
LKG720KG	20"/52 cm	
LKG723KG	23"/58 cm	
LKG726KG	26"/64 cm	
LKG729KG	29"/72 cm	
LKG732KG	32"/78 cm	
LKG705KG	Set of 5	
LKG704KG	Set of 4 (23"-32"/58-78 cm)	
LKG702KG	Set of 2 (26" & 29"/64, 72 cm)	
All are hammered copper bowls.		
Pro tuning q	auges are standard.	

Fiber head protectors and shallow drop covers are standard. One pair of timpani mallets and one tuning key are standard with each 26" timpani or set of 2,4,or 5 timpan

Renaissance timpani heads from Remo are available as an option on Ludwig Grand Symphonic, Professional, & Standard timpani only.



MODEL NO. HAMMERED COPPER	POLISHED COPPER	FIBERGLASS	DESCRIPTION
LKP520KG	LKP520PG	*LKP520AG	20"
LKP523KG	LKP523PG	LKP523FG	23"
LKP526KG	LKP526PG	LKP526FG	26"
LKP529KG	LKP529PG	LKP529FG	29"
LKP532KG	LKP532PG	LKP532FG	32"
LKP505KG	LKP505PG	LKP505FG	Set of 5
LKP504KG	LKP504PG	LKP504FG	Set of 4 (23"-32")
LKP502KG	LKP502PG	LKP502EG	Set of 2 (26" & 20")

*Note: 20" kettle is aluminum. Professional Series Timpani may be ordered without tuning gauges. Delete suffix "G" from model number.

Fiber head protectors and shallow drop covers are standard. One pair of timpani mallets and one tuning key are standard with each 26" timpani or set of 2,4,or 5 timpani.

Renaissance timpani heads from Remo are available as an option on Ludwig Grand Symphonic, Professional, & Standard timpani only.

Professional Series

Exceptional resonance, projection, and tone duration throughout all dynamic levels best describe these handcrafted timpani. From leading university and symphony orchestras to talented and accomplished timpanists, Ludwig's Professional Symphonic Series have provided players with the kind of performance their reputations rely on.

Whether copper or fiberglass is preferred, the Ludwig tradition of Old World integrity and superior quality regulates every step of the process. The finest materials are chosen, then meticulously formed to deliver a clear, pure tone. The deep parabolic kettles are calibrated precisely to the pitch-centered tone needed to fill a hall. While kettles hang freely within an exclusive, sturdy double-ring suspension system, Ludwig's proprietary profile mylar heads provide superior resonance in concert halls of all sizes. With an adjustable Balanced Action[™] pedal system at its base, operation is smooth and consistent.

Whether it's performing more contemporary works or a traditional repertoire, the Professional Symphonic Series offers a sixth in range for maximum playability. This includes the ease of fine tuning the balance of your timpani simply by turning the tension knob conveniently located just beneath the kettle for quick, minor adjustments that won't interrupt your performance.



Standard Symphonic Series

Upon arriving home after his wartime service, Wm. F. Ludwig II discovered his father, William, Sr., quietly working away on yet another revolutionary timpani design. At that time, timpani were mounted on a pedestal. Instead, William, Sr. successfully mounted a kettle on support struts like the original Dresden design. Then,



he added his original design of the floor pedal with Balanced Action™ tuning – promptly naming it the Symphonic model.

Today, it is estimated that there are more Standard Symphonic timpani in use throughout the world than all other models and brands combined.

MODEL NO. Polished Copper	FIBERGLASS	DESCRIPTION
LKS420PG	LKS420AG*	20"
LKS423PG	LKS423FG	23"
LKS426PG	LKS426FG	26"
LKS429PG	LKS429FG	29"
LKS432PG	LKS432FG	32"
LKS405PG	LKS405FG	Set of 5
LKS404PG	LKS404FG	Set of 4(23"-32")
LKS402PG	LKS402FG	Set of 2`(26" & 29")
Standard Series Tin tuning gauges.	mpani may be	ordered without

Delete suffix "G" from model number.

*Note: 20" Kettle is aluminum.

Fiber head protectors and shallow drop covers are standard. One pair of timpani mallets and one tuning key are standard with each 26" timpani or set of 2,4,or 5 timpani.

Renaissance timpani heads from Remo are available as an option on Ludwig Grand Symphonic, Professional, & Standard timpani only.

Ludwig's hoop activated tuning gauges are a reliable option that works well with most timpani. Available on all Standard Universal and Machine models. Remove the "G" and add an "H" to the model number.



Machine Series

The Single Screw Machine Model provides quick tuning and a fiberglass kettle designed in the same parabolic deep shape as our high-end models. The sturdy metal legs can be telescoped into the kettle. It is ideal for junior and senior high schools to introduce students to this unique, tone-producing percussion instrument.

Ludwig Timpani Features Guide

Option

WHITE MYLAR

REMO[®] RENAISSANCE

FEATURE	GRAND SYMPHONIC SERIES	PROFESSIONAL SERIES	STANDARD SERIES	UNIVERSAL SERIES	MACHINE SERIES
TUNING SYSTEM	Balanced Action [™] Pedal	Single Screw System			
Range	7th	6th	6th	6th	5th
20" DIAMETER	F3-E4	F3-D4	F3-D4	F3-D4	F3–C4
23" DIAMETER	D3-C3	D3-B3	D3-B3	D3-B3	D3-A3
26" DIAMETER	A2-G3	A2–F3	A2–F3	A2–F3	A2–E3
29" DIAMETER	E2-D3	E2-C3	E2-C3	E2-C3	F2–C3
32" DIAMETER	D2-C2	D2-B2	D2-B2	D2-B2	D2-A2
TUNING MECHANICS	Outside Bowl	Outside Bowl	Inside Bowl	Inside Bowl	Inside Bowl
SUSPENDED BOWL	Yes	Yes	N/A	N/A	N/A
TUNING GAUGE OPTION	Professional Direct	Professional Direct	Professional Direct or	Standard Hoop	Standard Hoop
			Standard Hoop Gauge	Gauge	Gauge
Bowl Material	Copper	Copper/Fiberglass	Copper/Fiberglass	Fiberglass	Fiberglass
HAMMERED COPPER BOWL	Only Option	Option	N/A	N/A	N/A
BASE STYLE	Full Base Casting	Full Base Casting	Full Base Casting	Folding Legs	3 Legs
SHALLOW DROP COVERS	Standard	Standard	Standard	Standard	Standard
DRUMHEADS					
LUDWIG WEATHER	Standard	Standard	Standard	Standard	Standard
MASTER SMOOTH					

6

Universal Series

The Universal Ludwig Model provides a deep parabolic resonant shape in a one-piece, molded fiberglass kettle for rugged construction and enhanced affordability. Plus, you get the same matchless Balanced Action[™] tuning you'll find in our premium lines. The pedestal mount and folding legs allow for convenient packing when space is limited. The ultimate portable timpani.

UNIVERSAL	SERIES	FIBER	GLASS	KETTLE
MODEL NO.				

W/STANDARD	GAUGE W/O GAUGE	DESCRIPTION	
*LKU320AH	*LKU320A	20"	
LKU323FH	LKU323F	23"	
LKU326FH	LKU326F	26"	
LKU329FH	LKU329F	29"	
LKU332FH	LKU332F	32"	
LKU305FH	LKU305F	Set of 5	
LKU304FH	LKU304F	Set of 4 (23"-32")	
LKU302FH	LKU302F	Set of 2 (26" & 29")	
*Note: 20" Ke	ettle is aluminum.		



MACHINE SERIES FIBERGLASS KETTLE MODEL NO.

w/Standard Gau	GE W/O GAUGE	DESCRIPTION	
*LKM220AH	* LKM220A	20"	
LKM223FH	LKM223F	23"	
LKM226FH	LKM226F	26"	
LKM229FH	LKM229F	29"	
LKM232FH	LKM232F	32"	
LKM205FH	LKM205F	Set of 5	
LKM204FH	LKM204F	Set of 4 (23"-32")	
LKM202FH	LKM202F	Set of 2 (26" & 29")	
*Note: 20" Kettle	is aluminum.	, , , , , , , , , , , , , , , , , , ,	

Option

Option

These powerful drums feature specially designed die-molded shells that are cross-laminated and constructed of nine-ply birch. The result is a full, unmistakably pure Ludwig sound. Additional features include triple chrome-plating, self-aligning lugs, all-wood hoops, smooth white Weather Master or Remo® Fiberskyn drum heads, and the a vailability of beautiful wood-stained finishes.

Suspended All-Terrain Bass Drum Stand

Ludwig's premier stand is made from 1.5" square steel tubing and has no metal-to-metal contact for rattlefree sound between the drum and the stand. Free suspension offers increased projection and superb resonance at all dynamic levels. Other features include fully variable tilting adjustment with reliable angle locking casters, for 32" to 40" drums. The LE788 is silver powder coated for maximum durability. For proper bass drum performance and muffling, a handy, retractable and adjustable foot rest is featured along with large wheels for easy transportation in the band room, concert hall or marching field.

> LECB86X8WF - 18X36 BASS DRUM W/ LE788 SUSPENDED STAND AND REMO®



FINISHES FOR LUDWIG CONCERT BASS DRUMS





UDWIQ





ADJUSTABLE FOOT REST FOR PROPER MUFFLING TECHNIQUE. STRONG POLY STRAPS SUSPEND THE DRUM FOR MAXIMUM RESONANCE.



All-Terrain Tilting Bass Drum Stand

The LE787 All-Terrain Tilting Bass Drum Stand tilts 360° and fits 28"-40" drums. Ideal for middle school. Includes foot rest and locking 5" casters.



THE LE788 SUSPENDED ALL -TERRAIN BASS DRUM STAND TILTS 360° TO ANY ANGLE FOR MAXIMUM PERFORMANCE. THE PRESSURE FIT TILTING DEVICE HOLDS POSITION SECURELY.



THE LE788 SUSPENDED ALL-TERRAIN BASS DRUM STAND CAN BE POSITIONED FLAT FOR SPECIFIC PERFORMANCE NEEDS.



AVAILABLE FINISHES

- F White Cortex
- G Black Cortex
- E Mahogany Cortex
- Cherry Stain
- M Mahogany Stain
- N Natural

BASS DRUM ONLY

SMOOTH WHITE HEADS	REMO FIBERSKYN HEADS	DESCRIPTION
LECB28XX	LECB28XXWF	14" x 28"
LECB32XX	LECB32XXWF	16" x 32"
LECB36XX	LECB36XXWF	16" x 36"
LECB86XX	LECB86XXWF	18" x 36"
LECB62XX	LECBGXXXWF	20" x 36"
LECB40XX	LECB40XXWF	18" x 40"

BASS DRUM WITH LE788 ALL-TERRAIN SUSPENDED STAND MODEL NO.

SMOOTH WHITE HEADS	REMO FIBERSKYN HEADS	DESCRIPTION
LECB32X8	LECB32X8WF	16" x 32"
LECB36X8	LECB36X8WF	16" x 36"
LECB86X8	LECB86X8WF	18" x 36"
LECB62XB	LECB62X8WF	20" x 36"
LECB/0X8	LECB40X8WE	18" v 40"

BASS DRUM WITH LE78 Model No. Smooth White Heads		
LECB28X7	LECB28X7WF	14" x 28"
LECB32X7	LECB32X7WF	16" x 32"
LECB36X7	LECB36X7WF	16" x 36"
LECB86X7	LECB86X7WF	18" x 36"
LECB62X7	LECB62X7WF	18 x 36
LECB62X7	LECB62X7WF	20" x 36"
LECB40X7	LECB40X7WF	18" x 40"

LECB86X7 LECB62X7 LECB40X7 LECB40X7WF BASS DRUM STANDS

MODEL NO.	DESCRIPTION
LE788	All-Terrain Stand-Fits 32"-40" Drums
LE790	Folding Stand-Fits 28"-36" Drums
LE787	All-Terrain Tilting Stand - Fits 28"-40" Drums

Concert Toms

Ludwig's seven-ply birch shells produce outstanding projection and tonal definition. Strong chrome-plated lugs and triple-flanged hoops are standard. Each single headed concert tom is fitted with a durable protective trim on the bottom bearing edge. Plus, our classic double-tom stands are completely angleadjustable, featuring tom mounts and large serrated rubber feet.





AVAILABLE FINISHES

F White Cortex G Black Cortex E Mahogany Cortex L Cherry Stain M Mahogany Stain

- N Natural

CONCERT TOM	SETS (SET OF 4	DRUMS W/2 STANDS)
MODEL NO	DESCRIPTION	RANGE

LECT62CC	6", 8", 10", 12"	High Range w/Stands
LECT04CC	10", 12", 13", 14"	Mid Range w/Stands
LECT36CC	13", 14", 15", 16"	Low Range w/Stands

COMPONENT CONCERT TOMS - SINGLE HEADED

MODEL NO.	DESCRIPTION
LCS396LM	6"
LCS398LM	8"
LCS390LM	10"
LCS312LM	12"
LCS323LM	13"
LCS334LM	14"
LCS345LM	15"
LCS356LM	16"

DOUBLE TOM STAND FOR CONCERT TOMS MODEL NO. DESCRIPTION

LC342TSR

Single Brace Legs L-Arm Holder Style

Ludwig Latin Percussion



STEEL CHROME-PLATED	BRASS	DESCRIPTION
LETB02C LETB34C	LETB02B LETB34B	10" & 12" 13" & 14"
LM440TBS	Timbale Sta	and Only





FINISHES

for Lu

Concert Toi

Bongos

Ludwig Tunable Bongos will give your percussion section an authentic Latin touch. Perfect for hand or stick applications on bongos. Made with 7-ply birch shells, classic lugs, and smooth white Weather Master high collar drum heads.

BONGOS MODEL NO.	DESCRIPTION	STAND/MOUNT
LE2357 LE2358 LE1346	6" & 8" 6" & 8" Bongo Stand	w/Stand w/Mounting Block only
INDICATE FINIS FINISHES LISTE		AS CONCERT TOMS)

Timbales

Ludwig steel chrome-plated or brass timbales feature durable timbale stand, cowbell and removable cowbell holder. Designed for an authentic Latin sound, Ludwig timbales offer a resonating shell for stick applications and coated white timbale heads for superior drum tones.

Ludwig offers a full line of concert bass drum and timpani mallets for the total percussionist, including the incomparable Payson mallets custom-made to the specifications of acclaimed percussionist Al Payson. Payson mallets feature maple shafts and superior felt for perfect tone production.







SPECIALTY HE	ADS DESCRIPTION	SIZE
C11206	Bongo	6"
C11208	Bongo	8"
CTB10	Timbale	10"
CTB12	Timbale	12"
CTB13	Timbale	13"
CTB14	Timbale	14"

VIa



ets. Heads & Accessories

LUDWIG TIMPANI MALLETS MODEL NO. DESCRIPTION

- L304
- Ultra Soft Pile w/Maple Handles (Payson Model) Soft Pile w/Maple Handles (Payson Model) Medium Felt, General Purpose w/Maple Handles L305
- L306
- (Payson Model)
- Hard Felt, Staccato w/Maple Handles (Payson Model) L307
- L2311 Medium Hard Felt w/Aluminum Handles

LUDWIG CONCERT BASS DRUM AND GONG MALLETS MODEL NO. DESCRIPTION

- "Sostenuto Model" Soft Brown Pile (Payson Model) L308
- "Roller" Soft Brown Pile (Payson Model) (Pair) "General Purpose" Soft White Felt (Payson Model) "Double Ball" Soft Black Pile on Wooden Shaft Acrolite Shaft Black Pile Covered Double Ball L309
- L310
- L319
- L2320 L326
- Gong/Tam-Tam Mallet

TUNING GAUGES MODEL NO.

(PEDAL) STANDARD (HOOP)	DESCRIPTION	
LKH20	20" Gauge	
LKH23	23" Gauge	
LKH26	26" Gauge	
LKH29	29" Gauge	
LKH32	32" Gauge	
	LKH20 LKH23 LKH26 LKH29	LKH20 20" Gauge LKH23 23" Gauge LKH26 26" Gauge LKH29 29" Gauge

THIRD	WHEEL	ΤΙΜΡΔΝΙ	ASSEMBLY
THIND	WWIILLL	TIPITANI	ASSEMBLI

MODEL NO. FITS GRAND SYMPHONIC, PROFESSIONAL & STANDARD	Fits Universal Only	DESCRIPTION	
P1423	P1424	Attachment assembly to add a wheel for transport	



n	•		

BASS DRUM HEADS

C	WHITE COATED	CLEAR	SMOOTH WHITE	SILVER DOT	DESCRIPTION
stem	LW4328	LW4128	LW4228	LW6128	28"
	LW4330	LW4130	LW4230	LW6130	30"
ability.	LW4332	LW4132	LW4232	LW6132	32"
admity.	LW4334	LW4134	LW4234		34"
	LW4336	LW4136	LW4236		36"
	LW4340	LW4140	LW4240		40"

TIMPANI HEADS

	EXTENDED C	OLLAR	REGULAR C	OLLAR	RINGER	
Size	White	Clear	White	Clear	White	Clear
20"/51 cm	C8220	C8120	C9220	C9120	C8252	C8152
23"/59 cm	C8223	C8123	C9223	C9123	C8258	C8158
25"/64 cm			C9225	C9125		
26"/66 cm	C8226	C8126	C9226	C9126	C8264	C8164
28"/71 cm			C9228	C9128		
29"/74 cm	C8229	C8129	C9229	C9129	C8272	C8172
30"/76 cm			C9230	C9130		
32"/81 cm	C8232	C8132	C9232	C9132	C8278	C8178
Use	All drums ma after 1978	de	For Standard and Machine prior to 1973	made	Plastic only	

CONCERT SNARE DRUM STANDS

AUDEL NO.	DESCRIPTION
.C-623-SSC .M-923-SSC .R-1369-CXT	Classic Single Brace Concert Snare Stand with Extension Modular Double Brace Concert Snare Stand with Extension
M-1394-CXT	Classic Snare Stand Extension (7/8") Modular Snare Stand Extension (1")





Concert Bass Drum Cases

Designed to withstand the wear and tear of travel, Ludwig Fiber

Cases are built rugged, with nylon straps and a carrying handle.

Concert Bass Drum Cases Model No. Fiber Cases/Black	DESCRIPTION
L8684	Fits 16" x 32" Drum
L8686	Fits 16" x 36" Drum
L8678	Fits 18" x 40" Drum

Concert Bass Drum Covers

Cordura construction offers long-lasting durability for years of use.

Padded pro covers offer as much protection as a case

CONCERT BASS DRUM COVERS

MODEL NO. PADDED PRO COVERS FULL DROP - CORDURA	LINED DUST COVERS FULL DROP - CORDURA	DESCRIPTION
L1632CB	L2632CB	Fits 16" x 32" Drum w/Stand
L1836CB	L2836CB	Fits 16" x 36" & 18" x 36" Drum w/Stand
L1840CB	L2840CB	Fits 18" x 40" Drum w/Stand





FULL DROP LIGHT DUST COVERS.

Timpani Trunks

Custom fitted trunks are designed with five-ply wood panels, steel corners and edges, and heavily padded holding blocks to keep your timpani safe and secure.

TRUNKS

MODEL NO. ALL LUDWIG MODELS	RINGER ONLY	DESCRIPTION
L1621	L2600	Fits 20"/52 cm Sizes
L1626	L2605	Fits 23"/58 cm Sizes
L1631	L2610	Fits 26"/64 cm Sizes
L1641	L2615	Fits 29"/72 cm Sizes
L1636	L2625	Fits 32"/78 cm Sizes

MISC. CASES &	BAGS
MODEL NO.	DESCRIPTIO
L139	Timbale C
L143	Concert Ba
L8122	Bongo Cas

Timbale Cover Concert Bass Drum Cover Bongo Case

SHALLOW DROP LINED DUST COVERS.

Timpani Covers

Custom fitted, heavy gauge vinyl or Cordura

construction. Your choice of full or shallow drop.

TIMPANI COVERS Model No. Padded Pro Cover Full Drop - Cordura	Lined Dust Covers Full Drop - Vinyl	LIGHT DUST COVERS FULL DROP - VINYL	
L120TP	L220TP	L144	L196
L123TP	L223TP	L145	L197
L126TP	L226TP	L131	L198
L129TP	L229TP	L135	L199
L132TP	L232TP	L147	L200









All Terrain Tilting Bass Drum Stand

Tilts 360^a and fits 28"-40" drums. Ideal for middle school. Includes foot rest and locking 5" casters.

BASS DRUM STANDS MODEL NO. DESCRIPTION All-Terrain Tilting Stand - Fits 28"-40" Drums LF787

Timpani Tote Cart

M8007

Timpani Tote Cart is ideal for marching bands and drum corps performances on the field. Even on rough terrain, the timpani roll smoothly. The cart features 10-inch pneumatic back wheels with 5-inch front swivel casters and fits Ludwig Grand Symphonic, Professional and Standard Timpani.

Folding Stand

Simple to fold and store, this hollow metal stand offers dependable support. Rubber sleeves insulate the drum for pure sound and provide a no-slip grip. Adjusts to fit 28" to 36" drums.



Stands & Carts





M8007 Timpani Cart Tote System with Pneumatic Wheels. Fits any size Ludwig Timpani except Machine and Universal models.

