


M44 Combo Vibraphone



E4600

E4600 Motor assembly
E4598 On/Off switch
E4597 Switch plate




E4598




E0407

E0407 Vibe motor belt
5 3/4" dia. (18.06" long)



E4540

E4540 Resonator and pulsator assembly, plain




E4885

E4885 Lower crossbar assembly

E4882 Low end brace (A)

E4883 High end brace (B)

Tops of diagonal braces connect to E4491 bracket with E2590 wing nut



E4541

E4541 Resonator and pulsator assembly, sharp

E4573 Pulsator shaft assembly, plain

E4574 Pulsator shaft assembly, sharp

E4577 LE/HE Bearing bracket

E4578 Center bearing bracket

E3157 Nyliners



E51140030

E51140030 M44 Frame w/hardware

E4579 LE Resonator rubber

E4580 LE Resonator plate


E4113 Damper Spring Bracket

E39451 Handle

E4491 Add on carrier bracket

E2590 Wing nut


M44 parts, cont.



E38605 LE adj ht leg assy


E38615 HE adj ht leg assy

order leg extensions and casters separately



E4557

E4557 Damper bar assembly




E3358

E3358 Damper felt 1/2" X 1 1/2" X 37 5/8"



E6160

E6160 Leg extension



E0140

E0140 Exp stem caster, plain (adj ht)

E0141 Exp stem caster, brake (adj ht)

E0135 Exp stem caster, plain (fixed ht)

E0136 Exp stem caster, brake (fixed ht)



E4582

E4582 High end damper arm



E4583

E4583 Low end damper arm


E3272 Mounting clip for E4583



E9784

E9784 5/16-18 Thru-knob

E6161 5/16-18 Plastic k




E6161



E3206

E3206 Felt washer



E32031

E32031 Damper adjustment nut

E2477 Wing nut for damper spring


To convert to adj ht legs, order:

qty	Part #	description
1	E38615	HE leg assy
1	E38605	LE leg assy
4	E6160	Leg extension
2	E0140	Caster, plain
2	E0141	Caster, brake
4	E6161	Knob w/ stud
4	E9784	Thru hole knob
1	E9520	Velcro strap 16"




E45881

E45881 Damper Spring



E2477

M44 parts, cont.



E4566FUL

E4566FUL Full set of bars for M44 tuned to A=442

E4566FULW0 Full set of bars for M44 tuned to A=440

Standard tuning changed from A=440 to A=442 on 1/1/94

E4566xxx Individual bars for M44

(Ex: Middle C = E4566CN4, 1/2 step up is E4456CS4)



E0900T

E0900T Saddle post (10 pk)
40 per instrument




E0901T

E0901T Hook post (10pk)
40 per instrument



E0903T

E0903 Closed hole post (10 pk)
80 per instrument (old style)



E0300T

E0300T Post insulator (10 pk)
88 per instrument



E0905

E0905 Corner Post
4 per instrument
Used on rails 1 & 4



E0912

E0912 End post
4 per instrument
Used on rails 2 & 3



E1902V

E1902V Cord Spring (2 pk)
Order 2 packs for one instrument


E4441V Bar cord

Order 1 pack for one instrument



E1904V


E1904V Cord Spring, old style (2 pk)
Order one pack for one instrument



E32261

E32261 Lower pullrod only
E9487 Adjustment knob

E9487




E94965

E94965 Pedal assy w/lower plrd (after 6/1/00)

E94963 Pedal assy w/lower plrd (before 6/1/00)

E9784 Thru knob to secure to crossbar (after 6/1/00)



E3474

E3474 Upper pull rod